

Note: This is a special corrected Table of Contents and Errata/Additions sheet, current through 4 December 2019

CONTENTS

Something of Myself	35	Section 1: The perception of color	109
Author's notes	42	Section 2: Trace element analysis	111
Notes on methodology	42	Section 3: Trace element interactions	112
Special thanks	44	Section 4: Absorption & transmission of light by a gemstone	116
Authorship	44	Section 5: Chromophores of natural corundum & their colors	120
Fact checking	44	Comparing chromophores	136
Our Staff	44	Section 6: Mixed chromophores & their colors	136
Other help	44	Visible absorption spectra with the hand spectroscope	140
Acknowledgments	44	Non-visible spectra	141
Libraries	46	Luminescence	151
In memoriam	46	Pleochroism	158
John Emmett sends thanks to...	46	Bibliography	161
Kenneth Scarratt sends thanks to...	46	Under the Magnifying Glass:	
A final thanks	46	Inclusions	167
History	51	History of inclusion research	167
History	52	The microscope—A gemologist's best friend	168
Ruby & sapphire in ancient China	54	Photomicrography	169
Ruby & sapphire in ancient India	54	Mastering the microscope—Illumination techniques	169
Arabic-script mineralogy	55	Inclusion types & formation	173
Europe in the Dark & Middle Ages—Under the yoke of the church	60	Pre-existing inclusions (protogenetic)	173
Marco Polo, Gutenberg and the reawakening of Europe	63	Contemporary inclusions (syngenetic)	173
Final unification of ruby & sapphire	68	Secondary inclusions (epigenetic)	178
Bibliography	71	Identifying solid inclusions	183
Chemistry & Crystallography	77	Describing inclusions	185
Chemical composition	77	Overview of corundum inclusions	185
The corundum structure	77	Country descriptions of inclusions	185
Crystallography of corundum	80	Lab origin reports	185
Twinning in corundum	82	Bibliography	192
Morphology (face probability) & habit	84	Treatments	197
Ruby habits	85	History of ruby & sapphire treatments	197
Sapphire habits	86	Modern heat treatment—Low temperature	200
Bibliography	88	Modern heat treatment—High temperature	201
Physical & Optical Properties & Phenomena	93	High temperature heat treatment processes	204
Cleavage, parting & fracture	93	Diffusion & diffusion-like processes	210
Hardness	94	Detection of heat treatment	220
Thermal properties	95	Cavity & fissure infilling	230
Melting & boiling points & solubilities	95	Irradiation	233
Density & specific gravity	96	Oil, dye & wax treatments	237
Electrical properties	96	Surface coatings & surface stains	239
Optical properties	96	Bibliography	239
Luster	99	Disclosure: A revolution rebottles the treatment genie	240
Optical phenomena	99	Synthetic Corundum	249
Other phenomena	104	Alchemists' dreams	249
Bibliography	104	Enter Verneuil	251
Color, Spectra & Luminescence	107	Verneuil's discovery	255
Introduction to color	107	A close look at Verneuil's process	256
Color in ruby & sapphire	107	Identifying features	262
		Verneuil visible absorption spectra	266

Synthetic star corundum	266	Rock types	404
Czochralski (pulling) process	273	Corundum & corundum gems	404
Floating zone process	275	Born of fire: Corundum in igneous rocks	406
Combination melt techniques	276	Ch-Ch-Changes: Metamorphic rocks	407
“Recrystallized” ruby	276	Corundum-bearing orogenic belts	408
Solution growth processes	278	Case studies of gem corundum formation	408
Summary of flux identification	298	Rock & roll: Secondary deposits	417
Advanced identification techniques	298	Further reading	420
Bibliography	300	Summary of world corundum occurrences	420
Assembled Stones	311	Bibliography	420
Coatings	314	World Sources	431
Foilbacks & mirrorbacks	314	Afghanistan	431
Assembled rough	315	Jegdalek	431
Assembled stars	315	Other Afghan sources	432
Identification of assembled stones	315	Characteristics of Afghanistan ruby (Jegdalek)	432
Bibliography	316	Australia	438
Methods of Fashioning	319	History of Australian sapphire	438
Cutting basics	319	Mining methods	440
Preforming & orientation	320	Stone types & sizes	444
Cutting styles	327	Marketing of Australian corundum	445
Cabochons	329	Ruby in Australia	446
Carved & engraved rubies & sapphires	330	Characteristics of Australian (NSW & Anakie) corundum	446
Bibliography	330	Bolivia	450
Judging Quality:		Brazil	450
A Connoisseur’s Guide	333	Characteristics of Indaiá (Brazil) corundum	450
Ruby & sapphire grading: A heretic’s guide	333	Burundi	450
A brief history of colored stone grading	334	Cambodia—see Thailand/Cambodia	450
The elements of quality	337	Cameroon	450
Influence of lighting on color	341	Canada	451
Viewing geometry & background	342	China	452
Summary of quality	343	Corundum in China	454
Pricing factors	343	Other Chinese localities	456
Connoisseurship in ruby	345	Colombia	457
Connoisseurship in sapphire	346	Characteristics of Colombia sapphire	457
Fancy sapphires	348	Congo (Democratic Republic of)	457
Judging stars & cabochons	349	Czech Republic	458
Trapiche ruby & sapphire	350	Finland	458
Anatomy of the perfect ruby & sapphire	350	France	459
Market tastes	350	Germany	460
Lotus Gemology Ruby & Sapphire Color Types	352	Greece	460
Lotus Gemology Ruby & Sapphire Color Types	353	Greenland	461
Buying ruby & sapphire	358	India	463
Rubies & sapphires of note	358	Kashmir sapphires—blue velvet	463
Rubies described by Tavernier	359	History of the Kashmir mine	464
A handful of historic rubies	359	Kashmir sapphires compared	472
Star rubies of note	361	Characteristics of Kashmir sapphire	474
Rough rubies of note	361	Other corundum localities in India	478
Notable red spinels	361	Indian ruby	478
Rubies, spinels & sapphires in the Mughal treasury	366	Italy	482
Famous blue sapphires	367	Japan	483
Famous fancy sapphires	370	Kenya	483
Engraved & carved rubies and sapphires	370	Two geologists’ dream: Their own ruby mine	483
Bibliography	395	Characteristics of Mangari ruby	484
Geology	403	Baringo	486
Elemental mating game	403	Other Kenya ruby localities	486
The big bang	403		
Journey to the center of the earth	403		
Tales from the crust	403		

CONTENTS

Sapphire in Kenya	486	Characteristics of Sri Lankan corundum	597
Israel	488	Sweden	609
Laos	488	Switzerland	609
Liberia	491	Tajikistan	610
Macedonia	491	Kuh-i-Lal spinel mines	610
Madagascar	491	Kukurt/Snezhny ruby mines	615
Island at the end of the universe	491	Tanzania	620
Andranondambo	493	The Mozambique orogenic belt—East Africa’s cauldron of gem creation	620
Ilakaka	494	Localities	621
Andilamena region	494	Thailand/Cambodia	636
Didy	496	History	636
Ambodivoahangy (Zahamena National Park)	496	Mining areas	642
Vatomandry	497	Chanthaburi, Trat & Pailin deposits	642
Ambohimandroso	497	Mining methods	651
The far north	497	Characteristics of Thai/Cambodian ruby	656
Malawi	508	Characteristics of Thai/Cambodian sapphire	662
Mexico	511	Turkey	675
Mozambique	512	Uganda	675
Myanmar (Burma)	520	United Kingdom (UK) & Ireland	675
History	520	United States of America (USA)	676
Myanmar today	539	Idaho	676
Mining areas	540	Montana	677
Burmese sapphires	540	Yogo Gulch	678
Other gems from the Mogok area	541	Other Montana corundum localities	682
Mining methods	541	Characteristics of Montana corundum	687
Sorting & trading	546	North Carolina	695
Burmese rubies compared	546	Vietnam	696
Burmese sapphires compared	547	Enter Doi Moi	696
Other Myanmar corundum localities	548	History	696
Features of Mogok (Myanmar) corundum	553	Luc Yen	697
Future prospects for Myanmar	560	Quy Chau (Bu Khang District)	698
Namibia (Southwest Africa)	575	Other Vietnam corundum localities	702
Nepal	576	Mining methods in Vietnam	702
Mountain building	576	Characteristics of Vietnamese corundum	703
New Zealand	576	Zimbabwe	707
Nigeria	577	Tagore’s Ruby & Sapphire	709
Characteristics of Nigerian sapphire	577	Prices & ID flow charts	715
Norway	577	Market Notes—2016	715
Pakistan	580	Ruby	715
Hunza: Land of the “Great Game” and eternal life	580	Blue sapphire	715
Azad Kashmir	580	Fancy sapphires	716
Other Pakistan localities	581	Star stones & cabochons	717
Russia	582	Buying/Selling/Appraising	717
Rwanda	583	Lab reports	717
Sapphires in the mist	583	Price tables	717
Sierra Leone	583	Category notes	717
Somalia	583	Identification flow charts	720
South Africa	585		
Sri Lanka (Ceylon)	586		
Ratna Dweepa—The Island of Jewels	586		
History	586		
Ruby & sapphire varieties	593		
Origin of Sri Lanka’s corundum deposits	593		
Mining areas	594		
Mining methods—It’s the pits	594		
The market in Sri Lanka	597		

ERRATA & ADDITIONS

PAGE 2

Spill the wine

Important pair of ruby and diamond pendent earrings, featuring untreated Mozambique Myanmar rubies of 11.10 and 10.41 ct respectively. These sold for HK\$8,850,000 (US\$1,141,223) at Tiancheng's 15 December 2015 sale. Image © Tiancheng International Auctioneer Ltd.

PAGE 46

Column 2, paragraph 8

Change Zylin Sun to Ziyin Sun.

PAGE 65

Column 2, last paragraph

One oxygen atom was accidentally omitted from the illustration.

PAGE 80

Figure 2.2, top left

Change 18 cm to 18 mm.

PAGE 94

Column 1, last paragraph

Change cohesion to adhesion.

PAGE 123

Column 1, second paragraph, last sentence

Change the superscript numbers in red to read as follows:

It is the product of the ion density per cm^3 and the path length through the stone in cm; hence the units are ions/ cm^2 (in ppm).

PAGE 130 & 132

Column 1

Change 1650°C to 1750°C

PAGE 161

Figure 4.78:

Rays C and D were accidentally omitted. See page 2 of this Errata/Additions document for the correct figure.

PAGE 161

Column 2, add:

Chase, A.B. and Osmer, J.A. (1970) Habit changes of sapphire grown from PbO-PbF_2 and $\text{MoO}_3\text{-PbF}_2$ fluxes. *Journal of the American Ceramic Society*, Vol. 53, No. 6, pp. 343–345; RWHL.

PAGE 162

Column 1, add:

Harlow, George E. and Bender, W. (2013) A study of ruby (corundum) compositions from the Mogok Belt, Myanmar: Searching for chemical fingerprints. *American Mineralogist*, Vol. 98, No. 7, pp. 1120–1132.

PAGE 163

Column 1, change "Moon and Phillips (1991a) to read as follows:

Moon, A.R. and Phillips, M.R. (1991a) Iron and spinel precipitation in iron-doped sapphire. *Journal of the American Ceramic Society*, Vol. 74, No. 4, April, pp. 865–868; RWHL.

PAGE 164

Column 1, change "Volynets and Sidorova (1971) to read as follows:

Volynets, F.K. and Sidorova, E.A. (1971) The absorption spectrum of alumina containing vanadium. *Journal of Applied Spectroscopy*, Vol. 14, No. 1, Jan., pp. 68–70; RWHL.

PAGE 186

Table 5.6, Column 1, change:

Change alanite to allanite.

PAGE 186

Table 5.2 should read as shown on page 3 of this Errata/Additions document.

PAGE 191

Column 1, change "Koivula (1980a)..." to read as follows:

Koivula, J.I. (1980a) Fluid inclusions: Hidden trouble for the jeweler and lapidary. *Gems & Gemology*, Vol. 16, No. 9, Spring, pp. 273–276; RWHL.

PAGE 193–195

Add the following references:

Hughes, E.B. (2019) [Staurolite in Madagascar ruby]. In *Jewellery and Jadeite, Tiancheng International, Hong Kong - Spring Auction, 29 May*, p. 16; RWHL.

Khoi, N.N., Sutthirat, C. et al. (2011) Ruby and sapphire from the Tan Huong-Truc Lau area, Yen Bai province, northern Vietnam. *Gems & Gemology*, Vol. 47, No. 3, Fall, pp. 182–195; RWHL.

Notari, F., Fritsch, E. et al. (2018) "Boehmite needles" in corundum are Rose channels. *Gems & Gemology*, Vol. 54, No. 3, Fall, p. 257; RWHL.

Schneider, V. and Smith, T. (2018) G&G Microworld: Sillimanite in ruby. *Gems & Gemology*, Vol. 54, No. 4, Winter, pp. 448–449; RWHL.

Soonthorntantikul & Khowpong et al., (2019) Observations on the heat treatment of basalt-related blue sapphires. *GIA: News from Research*, 60 pp.; RWHL.

Zwaan, J.C., Buter, E. et al. (2015) Alluvial sapphires from Montana: Inclusions, geochemistry, and indications of a metamorphic origin. *Gems & Gemology*, Vol. 51, No. 4, Winter, pp. 370–391; RWHL.

PAGE 247

Column 1, add the following reference:

Soonthorntantikul & Khowpong et al., (2019) Observations on the heat treatment of basalt-related blue sapphires. *GIA: News from Research*, 60 pp.; RWHL.

PAGE 258

Column 2, Figure 7.13, line 2

Change "In natural stones (right)..." to "In natural stones (left)..."

PAGE 264

Column 2, Table 7.2, Verneuil Syn. Corundum, Red, Pink

change " C^{3+} " to " Cr^{3+} ".

PAGE 307

Column 1, change "Plato (1952)..." to read as follows:

Plato, W. (1952) Oriented lines in synthetic corundum. *Gems & Gemology*, Vol. 7, No. 7, Fall, pp. 223–224; RWHL.

PAGE 326

Figure 9.10

change " γ " to " \circ ".

PAGE 326

Column 1, in Meen, V.B. (1969) change "Vol. 8" to "Vol. 13".

Meen, V.B. (1969) The largest gems in the crown jewels of Iran. *Gems & Gemology*, Vol. 13, No. 1, Spring, pp. 2–14; RWHL.




Figure 4.78 The visual effects of pleochroism on the appearance of corundum

The stone above left is cut with the c axis 90° to the table facet.

- Ray A enters near the girdle, traveling 4 mm parallel to the c axis (O-ray only) and 6 mm parallel to the a axis (3 mm of O-ray and 3 mm of E-ray). The color of Ray A therefore consists of 70% O-ray and 30% E-ray.
- Ray B strikes the pavilion much closer to the culet. Ray A and Ray B have identical path lengths, each traveling 10 mm through the gem. But Ray B's light path consists of 8 mm parallel to the c axis (8 mm of O-ray only) and just 2 mm parallel to the a axis (1 mm of O-ray and 1 mm of E-ray). Thus, the color of Ray B is 90% O-ray and only 10% E-ray.

The stone above right is cut with the c axis 90° to the table facet.

- Ray A has 6 mm of O-ray only, and 4 mm of equally mixed O- and E-rays, giving a total of 80% O-ray and 20% E-ray.
- Ray B consists of 2 mm of O-ray only, and 8 mm of equally mixed O- and E-rays, giving a total of 40% O-ray and 60% E-ray. As a result, the color on these facets will show more of the O-ray near the girdle and less at the culet.
- Rays C and D are equal mixtures of O- and E-rays, because their entire journey takes place perpendicular to the c axis. Those facets will display a uniform 50%–50% split.

Table 5.2. Inclusions of corundum

Solids: The following solids have been identified in corundum:

- Allantite Group (Hänni, 1990a)
- Aluminite Group (Zwaan & Buter *et al.*, 2015)
- Amphibole Group: Pargasite (Gübelin, 1973)
- Anatase (Zwaan & Buter *et al.*, 2015)
- Anhydrite (Smith & Dunaigre, 2001)
- Apatite Group: Fluorapatite (Gübelin, 1969)
- Baddeleyite Group: Baddeleyite (Gübelin & Peretti, 1997)
- Baryte (Barite) Group: Baryte (Zwaan & Buter *et al.*, 2015)
- Boehmite (Böhmite) (Sahama & Lehtinen *et al.*, 1973)
- Brookite (Gübelin & Koivula, 1986)
- Calcite Group: Calcite: Gübelin (1940b); Magnesite (Thirangoon, 2009)
- Carbon (Amorphous) (Zwaan & Buter *et al.*, 2015)
- Catapleite (Thirangoon, 2009)
- Chalcopyrite Group: Chalcopyrite (Gübelin, 1973)
- Chlorite Group (Gübelin, 1982a)
- Columbite Group: Columbite-(Fe), a.k.a. Niobite: Tantalite-(Fe); Gübelin, 1973; Pardieu & Sangsawong *et al.*, 2014)
- Cordierite (a.k.a. Iolite) (Thirangoon, 2009)
- Cosalite (Thirangoon, 2009)
- Cristobalite (Zwaan & Buter *et al.*, 2015)
- Diaspore Group: Diaspore, Goethite (Gübelin, 1982a; Smith, 1995)
- Dolomite Group: Dolomite (Brückl, 1937)
- Epidote Group: Clinozoisite, Epidote (Gübelin & Koivula, 2008)
- Euxenite Group: Fersmite (Guo & O'Reilly *et al.*, 1996)
- Feldspar Group: Alkali, Plagioclase (Gübelin, 1971)
- Feldspathoid Group: Nepheline (Khoi & Sutthirat *et al.*, 2011)
- Fergusonite (Gübelin, 1973)
- Fluorite Group: Fluorite (Peretti & Schmetzer *et al.*, 1995)
- Garnet Group: Almandine, Pyrope, Spessartine (Gübelin, 1948; Du Toit & Charoensrithanakul *et al.*, 1995b)
- Gibbsite (Zwaan & Buter *et al.*, 2015)
- Glass (Gübelin & Koivula, 1986)
- Grandidierite (Hain & Hughes, 2019)
- Graphite (Brückl, 1937)
- Halite Group: Halite; Khoi & Sutthirat *et al.*, 2011)
- Hematite Group: Corundum, Hematite (Gübelin, 1940b; Gübelin, 1953)
- Humite Group: Chondrodite, Humite (Barthoux, 1933)
- Ilmenite Group: Ilmenite (Moon & Phillips, 1984)
- Kyanite (Pardieu & Sangsawong *et al.*, 2013)
- Marcasite Group: Marcasite (Bowersox & Foord *et al.*, 2000)
- Mica Group: Biotite, Fuchsite, Margarite, Muscovite, Phlogopite (Gübelin, 1940b; Gübelin, 1982a)
- Molybdenite Group: Molybdenite (Saeseaw & Sangsawong *et al.*, 2017)
- Monazite Group: Monazite (Gübelin, 1973)
- Nahcolite (Zwaan & Buter *et al.*, 2015)
- Nordstrandite (Kane & McClure *et al.*, 1991)
- Olivine Group: Forsterite (Gübelin & Koivula, 1986)
- Pentlandite Group: Pentlandite (Coenraads, 1992a)
- Pyrite Group: Pyrite (Gübelin & Koivula, 1986)
- Pyrochlore Group: Uranopyrochlore, Betafite (Gübelin, 1973; Guo & O'Reilly, 1996)
- Pyroxene Group: Augite–Fassaite, Diopside, Hedenbergite (Gübelin, 1971, 1973; Gübelin & Peretti, 1997)
- Pyrrhotite Group: Pyrrhotite (Gübelin, 1971)
- Rhabdophane Group: Brockite (Guo & O'Reilly, 1996)
- Rutile Group: Rutile (Tschermak, 1878; Gübelin, 1953)
- Samarskite Group: Samarskite (Guo & O'Reilly, 1996)
- Sapphirine Group: Sapphirine (Koivula & Fryer, 1987)
- Scapolite Group: Marialite (Kammerling & Scarratt *et al.*, 1994)
- Sillimanite (Thirangoon, K., 2009)
- Smectite Group: Vermiculite (Zwaan, 1974)
- Sodalite Group: Lazurite (Renfro & Pardieu, 2012)
- Sphalerite Group: Sphalerite (Gübelin & Koivula, 1986)
- Spinel Group: Chromite, Gahnospinel, Gahnite, Hercynite, Magnetite, Pleonaste, Spinel (Gübelin, 1953)
- Staurolite Group: Staurolite (Hughes, E.B., 2019)
- Sulfur Group: Sulfur (Fritsch & Rossman, 1990)
- Tialite (Panjekar & Panjekar, 2016)
- Titanite (Sphene) Group: Titanite (Barthoux, 1933)
- Topaz (Zwaan & Buter *et al.*, 2015)
- Tourmaline Group (Gübelin & Koivula, 1986)
- Uraninite Group: Uraninite, Thorianite: (Gübelin, 1973; Gübelin & Peretti, 1997)
- Vesuvianite Group: Vesuvianite (Idocrase): (Renfro & Koivula, 2017)
- Wollastonite Group: Wollastonite (Gübelin & Koivula, 2008)
- Xenotime Group: Xenotime (Gübelin & Koivula, 2008)
- Zeolite Group: Analcime (Gübelin & Koivula, 1986)
- Zircon Group: Zircon (Gübelin, 1953); Thorite: (Coenraads, 1992a)
- Zirconolite (Peretti & Peretti *et al.*, 2008)
- Zirkelite (Gübelin & Koivula, 2008)
- Zoisite (Zwaan & Buter *et al.*, 2015)

Exsolved solids

- Rutile needles ('silk'), form parallel to the second-order hexagonal prism $\{11\bar{2}0\}$ (3 directions, intersecting at 60/120° in the basal plane). Rutile often forms knife-shaped twins with tiny re-entrants and daughter crystals at the broad end, flattened in the basal plane. Sizes and lengths vary, some appearing as mere dots, some broad, some narrow. Overhead fiber optic illumination is often best, looking down the *c* axis. Exsolved particles are often best seen with the fiber optic light guide from below or to the side of the stone. Often iridescent under fiber optic illumination.
- Hematite-ilmenite silk/plates; parallel to the faces of the first-order hexagonal prism $\{10\bar{2}0\}$; often iridescent under fiber optic illumination.
- Diaspore in the same directions as rutile, but often with a more "cottony" appearance; common in Mong Hsu ruby.

Cavities (liquids/gases/solids)

- Primary fluid-filled cavities of various configurations (1-, 2- or 3-phase). CO₂ is a common filling, in both liquid and gaseous forms.
- Secondary fluid inclusions in patterns of infinite variety and thickness; often referred to as fingerprints or feathers. CO₂ is a common filling, in both liquid and gaseous forms. Produced by the healing of fractures, their patterns may often be "wispy" or "veil-like," and so are easily confused with flux inclusions in synthetic corundums. Their surfaces should be examined under high magnification with fiber-optic lighting to determine if fluid (natural) or flux (synthetic) fills the small channels. As natural stones healed over a much longer period of time, their healing patterns are often far more detailed. The higher viscosity of a flux also contributes to coarser and less detailed healing in flux-grown synthetics.
- Long white secondary "Rose channels" at the junctions of intersecting rhombohedral twinning planes $\{10\bar{1}1\}$. Directions and angles are the same as that described for rhombohedral twinning above. The combination of rhombohedral twinning with rose channels has yet to be seen in flux-grown synthetic corundums and so is important for identification. Rose channels were formerly thought to be boehmite (Notari *et al.*, 2018).
- Epigenetic kaolinite, boehmite and/or iron oxide stains are common in surface-reaching fissures; they may be eliminated/changed during heat treatment.

Growth zoning

Straight angular growth lines following various crystal faces, often in a hexagonal pattern and often featuring associated minute exsolved needles or particles following these growth lines. These growth zones and exsolution products often produce phantom growth outlines of the crystal's shape as it formed. The lines vary in thickness and spacing, are never curved if examined parallel to the face along which they grew, and always lie inside the stone. They are associated with crystal faces, not with cut facets. Sharp lines are seen well with dark-field illumination, or better, immersion with light-field shadowing. Broad bands or hazy clouds are best seen with immersion and diffused light-field illumination.

Twin development

True twinning planes will show interference fringes and appear light against a dark background when the gem is examined between crossed polars.

- Polysynthetic twinning along the rhombohedron $\{10\bar{1}1\}$, in 3 directions, but only 2 in any one plane) meeting at 86.1 & 93.9°. These planes meet the *c* axis at angles of 32.4/57.6°.
- Growth twins may also be seen along other faces. Immersion between crossed polars will separate true twinning from sharp color zoning.

Other features

Rhombohedral parting (due to Rose channels and/or exsolved boehmite) and basal parting (due to exsolved hematite).

PAGE 376–377

In Figure 10.41, change the price of the 15.04 ct Myanmar ruby from \$1,222,233 to \$1,266,901 and in Figure 10.43, change \$1.22k to \$1.26k.

PAGE 453

Figure 12.17. Map. Change shading on “TAIWAN” to match “CHINA”.

PAGE 477

Table 12.6, add the following under solids:

- Hematite (Bui & Fritsch *et al.*, 2013)
- Spinel (Bui & Fritsch *et al.*, 2013)
- Remove the sentence beginning “Uraninite crystals are distinctive...” but keep the reference (Hänni, 1990a)

PAGE 479

Add the following reference:

Bui, H.N., Fritsch, E. *et al.* (2013) Kashmir sapphires: Geographical origin determination of top-quality blue sapphires versus science. *International Gemmological Conference Proceedings*, Hanoi, Vietnam, pp. 59–60; RWHL*.

PAGE 481

Column 2, add the following reference

Muyal, J. (2018) G&G Lab Notes: Large pargasite inclusion in Kashmir sapphire. *Gems & Gemology*, Vol. 54, No. 4, Winter, pp. 435–436; RWHL.

PAGES 498–499

Add the following references

Hain, M. and Hughes, E.B. (2019) MicroWorld: Grandidierite inclusions in sapphires. *Gems & Gemology*, Vol. 55, No. 1, Spring, pp. 111–112; RWHL.

Hughes, E.B. (2019) [Staurolite in Madagascar ruby]. In *Jewellery and Jadeite, Tiancheng International, Hong Kong • Spring Auction, 29 May*, p. 16.

PAGE 549

Figure 12.45. Map.

Change “Androndambo” to “Andranondambo”.

PAGE 549

Figure 12.99. Superb example of a 15 ct untreated Mõng Hsù Mogok ruby.

Photo: Wimon Manorotkul; ring: Veerasak Gems

PAGE 574

Column 1 change “Scott (1936a)...” to read as follows:

Scott, W.H. (1936a) The ruby mines of Burma. *Gems & Gemology*, Vol. 2, No. 1, Spring, pp. 3–6; No. 2, Summer, pp. 31–34; RWHL.

PAGE 600

Table 12.21, Column 2, add the following under “Solids”:

- Xenotime (Gübelin & Koivula, 2008)

PAGE 606

Column 2 add this reference:

Gübelin, E.J. and Koivula, J.I. (2008) *Photoatlas of Inclusions in Gemstones, Volume 3*. Basel, Switzerland, Opinio Publishers, 672 pp.; RWHL*.

PAGE 675

Column 1, “Schubnel (1975)...” change “No. 43” to “No. 45”:

Schubnel, H.-J. (1975) Excursion à la mine de saphirs de Bò-Phlòi (Thaïlande). *Revue de Gemmologie A.F.G.*, No. 45, December, pp. 8–10; seen.

PAGE 680

Figure 12.197, caption:

Change “Vertex” to “Vortex”

PAGE 690

Table 12.35, add the following under “Solids”:

- Anatase (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Anhydrite (Gübelin & Koivula, 2008)
- Barite (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Epidote (Gübelin & Koivula, 2008)
- Ferro-columbite (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Gibbsite (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Mica (biotite) (Gübelin & Koivula, 2008)
- Nahcolite (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Pyrite (Gübelin & Koivula, 2008)
- Pyroxene (Gübelin & Koivula, 2008)
- Topaz (Zwaan, J.C., Buter, E. *et al.*, 2015)
- Zoisite (Zwaan, J.C., Buter, E. *et al.*, 2015)

PAGE 693–695

Add the following references:

Palke, A.C., Renfro, N.D. *et al.* (2016) Origin of sapphires from a lamprophyre dike at Yogo Gulch, Montana, USA: Clues from their melt inclusions. *Lithos*, Vol. 260, pp. 339–344; RWHL.

Zwaan, J.C., Buter, E. *et al.* (2015) Alluvial sapphires from Montana: Inclusions, geochemistry, and indications of a metamorphic origin. *Gems & Gemology*, Vol. 51, No. 4, Winter, pp. 370–391; RWHL*.

PAGE 700

Table 12.37, add the following under “Solids”:

- Anhydrite (Khoi & Sutthirat, C. *et al.*, 2011)
- Boehmite (Khoi & Sutthirat, C. *et al.*, 2011)
- Chlorite (Khoi & Sutthirat, C. *et al.*, 2011)
- Diaspore (Khoi & Sutthirat, C. *et al.*, 2011)
- Dolomite (Khoi & Sutthirat, C. *et al.*, 2011)
- Feldspar (plagioclase) (Khoi & Sutthirat, C. *et al.*, 2011)
- Graphite (Khoi & Sutthirat, C. *et al.*, 2011)
- Halite (Khoi & Sutthirat, C. *et al.*, 2011)
- Hematite (Khoi & Sutthirat, C. *et al.*, 2011)
- Ilmenite (Khoi & Sutthirat, C. *et al.*, 2011)
- Mica (biotite, margarite, muscovite, phlogopite), brownish orange (Kane & McClure *et al.*, 1991)
- Monazite (Khoi & Sutthirat, C. *et al.*, 2011)
- Nepheline (Khoi & Sutthirat, C. *et al.*, 2011)
- Pyrite (Khoi & Sutthirat, C. *et al.*, 2011)
- Spinel (hercynite, magnetite, spinel) (Khoi & Sutthirat, C. *et al.*, 2011)
- Titanite (sphene) (Khoi & Sutthirat, C. *et al.*, 2011)
- Tourmaline (Khoi & Sutthirat, C. *et al.*, 2011)
- Zircon (Khoi & Sutthirat, C. *et al.*, 2011)

PAGE 725

Column 2

Add: Galibert, Olivier 45, 389, 454–456, 527–528, 571, 656

PAGE 726

Column 1

Add: epidote 186, 690

PAGE 726

Column 3

Add: xenotime 186, 487, 600, 631, 634